



PRODUCT COMPLIANCE SCHEDULE

South Bright Glass Production Foshan Gaoming Co. Ltd.

Address:

No.85, Gaofu one Road Fuwan Industrial Park, Gaoming, Foshan, P.R. China.

This schedule identifies the Certified Product(s) on which the PAS-Mark and ID. Number may be used.

AS/NZS 4666:2012 Insulating Glass Units

Types of substrates:	Annealed, Coated, Laminated, Heat treated and toughened Any combination of the above substrates. Non-gas filled
Types of sealants:	Inner sealant, Butyl rubber, Type: Ø180*7, Supplier: Zhejiang Fenqi Sealant Co., Ltd; Outer sealant, Structural silicone type:SJS8200, Supplier: Chengdu Guibao Technology Co., Ltd.
Spacer bar description:	Aluminium double glazing profile (PA) Supplier/brand name: Shanghai Regal Glass Material Co., Ltd
Spacer bar width:	6mm, 9mm, 12mm, 15mm, 16mm, 18mm, 20mm, 22mm, 24mm, 26mm, 28mm
Desiccant:	Molecular sieve (MS) 3A,0.5mm to 2.0mm, Supplier: Zibo Natergy Chemical Industry Co.,Ltd.
Construction components:	Joiner, aluminium mill finish, straight line connector.
Fabrication technique:	Bent corners (4)

This schedule supersedes any previously issued schedule.


Assessment ID No: CSI-ID 7168

Issue date: 15th June 2019

Schedule No: CSI-7168-2019-06-S3-Rev1

Certification date: 13rd June 2019

Expiry date: 14th June 2020


Azma Khan
Managing Director
Certification Solutions
International Pty Ltd

PAS-Mark
Product
Conformance



The current validity of this document should be checked by contacting admin@csi-certification.com PASF_015 11R2